

## Product Guide



It's time to build a better life. It's time to draw the line at average.



4-7	Why choose Steel-Line garage doors
8-9	powermesh* Garage Door Controller
10-17	The Custom Collection
	12-13 Insert Panel Aluminium Frame Selection
	14-16 Face Fixed Aluminium Frame Selection
	17 Flush Mount Selection
18-19	Colerbond Sectional Doors
20-21	Colorbond Roller Doors
22-23	UniCote*/LUX Sectional Doors
24-25	UniCote*/LUX Roller Doors
26-27	Matt Doors
28-29	Tilt Doors
30-31	Savannah Sectional Doors
32-33	Louvre Doors
33-43	The Timber Look Series
	36-37 Timber Selection
	38-39 <b>Colorbon</b> Timber Selection
	40-41 <b>UniCote</b> / LUX Timbers of the World Series
	42-43 Natural Timber Selection
44-45	Wind Rated Doors
46-47	Commercial and Industrial Doors
48-61	Design your Door - Shopping Guide

## Need help choosing your new door? Follow this simple 5 step guide:







Step One:

Step Two:

Step Three:

49 Select your Door

50 Create your Design

52 Select your Colour



Step Four:

57 Select your Opener and Home Enhancer's



Step Five:

61 Select your Service Care Plan

#### Icon Guide:








4

Tilt Door







Opposite: Custom Collection Face Fixed Aluminium Frame Garage Door with White aluminium composite panels.



Strong and durable, Steel-Line garage doors are made in Australia for the harsh Australian conditions.



Steel-Line supports Australian jobs which is why our garage doors are predominately made with the highest quality Australian BlueScope® steel.



A trusted Australian brand, Steel-Line have been making garage doors for Australians by Australians for over 40 years.




Award-winning FingerProof<sup>™</sup> Safety design is a standard feature for Steel-Line sectional doors.



Every garage door is custom made and manufactured to your requirements. It's one of the reasons the majority of Australia's major builders choose Steel-Line garage doors.



Steel-Line offer a full range of accessories to suit your personal needs. View our range from page 57.



Steel-Line have been makers and inventors of garage doors in Australia for over 40 years.

Strong, safe and durable, we make with passion to enhance your lifestyle. It's at the core of what we do.

Our award-winning doors are the preferred choice for most major Australian builders.

Every door is custom manufactured for your home.

Above: Two Custom Collection Sectional Garage Doors with Western Red Cedar Cladding



#### Control your door like never before.











The app to control it all.

The Powermesh Garage Door Controller gives you complete control in the palm of your hand. Enjoy the convenience of connecting your garage today and expand control for everything else tomorrow.





Learn more about the Zimi ecosystem. www.zimi.life





Watch a video on why the Powermesh Garage Door controller will make your life





Any Garage Door Controls 1 or 2 garage doors in any home.



Voice Control Hands-free control by simply speaking.



Anywhere Access Extend your reach to anywhere in the world with Zimi Connect.



**Existing Motors** Works with your existing system.




Flight Path Technology Open your door to different heights.



Temp & Humidity Monitor the climate inside your garage.


















Please see steel-line.com.au to keep up to date on the most recent news on the Powermesh Range.



## You create it, we make it.




Above: Custom Collection Insert Panel Aluminium Frame Garage Door with opal acrylic inserts.

# The Custom Co/ection

Your garage door could be the biggest design feature on your home's exterior, so make sure it's also the most striking. There's a Steel-Line product to suit all designs and architectural styles.

Steel-Line's innovative Custom Collection of garage doors offers over a hundred different options for you to choose from.

Let your imagination run wild with our Face Fixed, Insert Panel and Flush Mount selections. Simply match your garage door to the facade of your home and the style that will best suit your aesthetic.




## Insert Panel Aluminium Frame Selection

Steel-Line offer a stunning range of stylish FingerProof™ aluminium framed garage doors. You can choose from a wide selection of composite inserts or any compatible custom material to match with your design. Create the look that you want to customise your building to suit your surroundings.

Opposite: Custom Collection Insert Panel Aluminium Frame Garage Door in Night Sky and aluminium composite inserts in Dark Grey.



#### Configurations



QUARTER - HALF - QUARTER

4 EQUAL SECTIONS 5 EQUAL FIFTHS


#### **Standard Frame Colours**




Note: Refer to page 54 to view our secondary Colorbond® Colours

#### **Standard Insert Panel Options**

#### | Polycarbonate Multiwall







NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels.

The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with

your Product Consultant on price and availability.
# The maximum width of the "1 section" Bar Grille Tube door is 1200mm. The maximum width of the "2 section" Bar Grille Tube door is 2400mm".

Aluminium Frame Door







## Face Fixed Aluminium Frame Selection


The face fixed design is laying the aluminium composite panels over the frame for that architectural look. The aluminium composite panels are the premier choice for an exterior cladding that will maximize the beauty of the structure while providing a sustainable product to prolong the life of the building.

Despite being conveniently lightweight, these aluminium composite panels certainly aren't pushovers. They have impressive durability and strength, making them well suited to bearing the tough conditions of the Australian climate. Our face fixed design is lightweight, weather-resistant, has a maximum wind rating of C3 for wind regions C and D in Australia.

#### Configurations







#### **Standard Frame Colours**



Note: Refer to page 54 to view our secondary Colorbond® Colours







#### **Standard Face Fixed Options**

#### | Aluminium Composite Panel















Metallic Silver

Brushed Silver

Champagne

Medium Bronze Dark Grey

| Other

Western Red Western Red

Cedar Barn Style





NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels.

The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.





### **Flush Mount Selection**

Steel-Line's flush mount garage door blends in your facade with the cladding of your choice to create a seamless appearance to the front of your home. Flush finish means the surface of the garage door and the external wall surrounding it are on the

The flush mount garage doors are suitable to take a total weight of up to 175kg for tilt doors, and 250kg for sectional doors. They can be clad with the building's exterior materials, including timbers, composite timbers, metal, aluminium composite panel and acrylic. The integrated cladding materials make the door appear to be part of the building's wall system. Our flush mount doors are perfect for an architecturally designed building giving the exterior cladding a continuous look and essentially making the door invisible.

**NOTE:** All flush mount garage doors are made to order. Select a cladding material from our range or order as frame only and get your builder to clad on site to match the rest of your façade for that invisible look.












## Colerbond **Sectional** Doors

Enhance the exterior of your home with a garage door that will compliment any style of architecture. Steel-Line has a range of garage door styles to suit the unique characteristics of your home.

Steel-Line's sectional garage doors have exceptional weather-resistant qualities. They are resilient against normal wind and dust conditions and come with heavy duty aluminium bottom rails containing PVC weather seals, so you can trust that the precious contents of your garage are protected at all times.

#### **Profile Options**



#### **Window Options**

SUNRAY X 8 HERITAGE

SUNRAY 2 X 4 HERITAGE

SHERWOOD 4 X 2 HERITAGE

STOCKTON HERITAGE







SUNRAY X 4 RANCH

SUNRAY 2 X 2 RANCH

SHERWOOD RANCH

STOCKTON RANCH

STOCKFORD RANCH









Dover White ™



Southerly ®

| Colerbond Classic

**Colour Options** 



Bluegum ®



Windspray ®



Wallaby ™







Ironstone ®









Night Sky®

#### | Colorbond Matt Range





Woodgrain finish is standard for standard colour, timber selection sectional doors. \* Smooth finish is not available. Refer to page 54 to view our secondary Colorbond® Colours









PLAIN HERITAGE







NOTE: Garage door windows are not suitable for cyclonic areas.

#### **Series**

#### "A" series residential door (Range from 750mm to 3430mm in width)

#### "A" Series Door Heights Up to and including 1200mm Up to and including 2100mm Up to and including 2200mm Up to and including 2400mm Up to and including 2600mm Up to and including 2700mm

#### "AA" series residential door \* (Range from 3435mm to 5500mm in width)

 ange nem e reemm te eeeemm mat
"AA" Series Door Heights
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

#### "B" series light industrial door \* (Range from 2855mm to 5500mm in width)

Up to and including 3000mm

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm

<sup>\*</sup> Now supplied with Aluminium guides as standard

#### **Colour Options**

#### Colorbond Standard Colours




#### | Colorbond Matt Range



#### NOTE:

\* Non-standard colours at non-standard pricing. Refer to page 54 to view our secondary Colorbond® Colours



## Colerbond **Roller Doors**

Our range of Colorbond® colours and smooth operation, Steel-Line garage roller doors become true design features of your home.

Manufactured with heavy duty bottom rails containing durable PVC weather seals, a Steel-Line garage roller door provides your precious garage contents with excellent protection from the harsh elements.

All Steel-Line garage doors revolve on precisionmade drum wheels. Garage doors are counterbalanced using helical coil springs to ensure perfect balance and operation. All our springs are heat treated and tempered to give years of trouble free operation.

"AA" series residential door and "B" series light industrial doors are now supplied with Aluminium guides as standard.

Aluminium guide benefits include:

- Lightweight
- Aesthetically appealing
- Smooth and quiet operation
- Effortless installation

The new Aluminium guide can be fitted with an optional brush seal, adding a level of protection against smoke, draughts, salt, light, dust, insects and bushfire embers.

Opposite: Roller Door in Colorbond® Monument®.











UniCote® LUX is an imported pre-painted steel product designed to suit Australian high-end architecture. Drawing inspiration from around the world, feel inspired by the range of unique patterns and finishes available in this range.

UniCote® LUX is the future of Australian pre-painted steel design. The range is manufactured and tested to meet all weather conditions, resistant to chipping, peeling or cracking. UniCote® LUX doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

#### **Profile Options**



#### **Colour Options**

#### | Architectural Series

















Weathered Iron Corten Red





Zinc Graphite

Saffiano

#### NOTE:

\* Available in smooth or textured finish only. Please see product samples. \* Available while stocks last

#### | Timbers of the World Series


















Brazilian Walnut Red Oak



NOTE: Ashwood has a smooth finish whilst other "Timbers of the World"

series have a slightly textured finish. Please see product samples.









#### **Series**

"A" series residential door (Range from 750mm to 3430mm in width)

"A" Series Door Heights	
Up to and including 1200mm	
Up to and including 2100mm	
Up to and including 2200mm	
Up to and including 2400mm	
Up to and including 2600mm	
Up to and including 2700mm	
Up to and including 3000mm	

"AA" series residential door \* (Range from 3435mm to 5500mm in width)

"AA" Series Door Heights

Up to and including 2200mm

Up to and including 2400mm

Up to and including 2600mm

Up to and including 2700mm

Up to and including 3000mm

"B" series light industrial door \* (Range from 2855mm to 5500mm in width)

"E	3" Series Door Heights
Up	o to and including 3300mm
Up	o to and including 3600mm
Up	o to and including 4200mm
Up	o to and including 4800mm
Up	o to and including 5100mm

## UniCote®/LUX Roller Doors

The UniCote® LUX Roller Doors are made from an imported pre-painted steel product designed to suit Australian high-end architecture. Combining the world's best coil coating technology with rigorous testing to Australian standards, it meets all weather conditions, resistant to chipping, peeling or cracking.

"AA" series residential door and "B" series light industrial doors are now supplied with Aluminium guides as standard.

Aluminium guide benefits include:

- Lightweight
- Aesthetically appealing
- Smooth and quiet operation
- Effortless installation

The new Aluminium guide can be fitted with an optional brush seal, adding a level of protection against smoke, draughts, salt, light, dust, insects and bushfire embers.

Opposite: Roller Door in UniCote LUX® Ashwood.

#### **Colour Options**

#### | Timbers of the World Series







Ashwood

Brazilian Walnut

African Blackwood

#### | Architectural Series



Weathered Iron

**Note:** Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.







<sup>\*</sup> Now supplied with Aluminium guides as standard

## **Matt Doors**

The Matt look garage door is made from BlueScope® steel, which allows you to make stylish and defining design choices for your home.

Choose from six colours: Surfmist®, Bluegum®, Shale Grey™, Dune®, Basalt®, and Monument® to make your design statement.

Opposite: Flatline Sectional Garage Door in Monument® matt look.

#### **Sectional Profile Options**



Slimline

Flatline

Glacier



Ranch

Heritage

Note: Also available in a roller door.

#### Colorbond Colour Options





Monument ® \*#

#### **Other Colour Options**



Note: \* Available in Colorbond® Sectional Door # Available in Colorbond® Roller Door











## **Tilt Doors**

Not enough room in your garage for a sectional or roller door? A lot of older garages can be quite limited in space.

Steel-Line tilt garage doors offer the perfect solution for smaller garages or spaces with restricted side or head room. Manufactured to fit most garage openings and easily installed, the tilt garage door offers safety and convenience in a wide range of colours and materials.


The choices of material is almost as varied as your imagination allows and commonly includes plywood and moulding, K-panel, Colorbond®, Western Red Cedar, aluminium composite panels, copper sheeting, clear or textured glass/ acrylic, and many other types of cladding.

**NOTE:** Not all options available in all markets. Please refer to your Product Consultant for our wide variety of design options in your area.









## Savannah Sectional Doors

Stylish, strong and durable. Steel-Line's innovative Savannah Sectional Door range are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.


#### **Profile Options**



Bluegum ®

#### **Colour Options**





Basalt ™

Monument ®

#### Dune ® Surfmist ®



Note: Refer to page 54 to view our secondary Colorbond® Colours

**Dulux** More than 70 Dulux colours also available for sectional doors only. Please inquire about availability.

Note: Maximum width 5600mm.







## Louvre **Doors**

Steel-Line's aluminium Louvre sectional garage door has been developed to give a high level of airflow and natural light transmission.

Steel-Line sets a new benchmark for Louvre garage doors. Designed and manufactured in Australia, our Louvre garage door is extremely strong and secure with a modern architectural look. It's ability to provide privacy for what is inside and still allow a minimum 22% ventilation, makes this the door of choice for many modern developments.

Steel-Line Louvre garage doors have been engineered to the highest standard and tested at the JCU Cyclone Testing Station against the wind loading requirements of AS/NZS 4505-2012 (also available for C2 & C3).

#### **Colour Options**





## The Timber Look Series

Your garage door is often the largest and most prominent frontal feature of your home. For this reason, choosing the right garage door is a crucial decision that can significantly influence the value and aesthetics of your most prized asset.

If you like the natural look and warmth that wood conveys, we can offer you Natural Timber, DecoWood®, Colorbond® and UniCote® LUX Timbers of the World.

Each offering has different benefits depending on your requirements, while providing the warm and homely charm that a timber look provides.

Our impressive assortment of beautifully crafted options offers a classic and timeless style that evokes a feeling of tradition with a modern twist.



You dream it, we create it.







## **Timber Selection**

The DecoWood® garage door is ideal for coastal properties and bushfire prone areas with its marine grade powder coating. It is made from BlueScope® steel, which is an incredibly versatile material, preferred by builders and designers alike for its strength, durability, flexibility, lightness and corrosion-resistance.

Unlike timber, DecoWood® garage doors don't warp, shrink, splinter or rot. They require little maintenance, and they are also completely impervious to termites.

#### **Profile Options**









Jarrah







Merbau



## Colerbond

## **Timber Selection**

Steel-Line's Colorbond® Timber Selection offers the strength of a Colorbond® steel door with the style of the Colorbond® colours.

A garage door made from Colorbond® steel will also give you lifelong performance. Thanks to the five-layer design of Colorbond® steel, it provides corrosion resistance and a durable baked on paint finish, making it look great and easy to maintain.


With the Colorbond® Timber colours, Colorbond® steel provides an elegant twist providing even greater design opportunities for your home.



#### **Profile Options**









#### Colorbond Colour Options





Blushed Teak™









## UniCote / LUX Timbers of the

## Timbers of the World Series

The UniCote® LUX - Timbers of the World Series draws inspiration from all over the globe to bring the beautiful natural look of timber to your front door.

UniCote® LUX offers a range of timber finishes to suit your next project. With the strength of steel, UniCote® LUX products are manufactured and tested to meet all weather conditions to offer you a long lasting product and peace of mind.

UniCote® LUX paint systems are proven to provide resistance to chipping, peeling or cracking, offering excellent colour and gloss retention. UniCote® LUX doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.



#### **Profile Options**



#### **Colour Options**



#### NOTE:

Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.







## **Natural Timber** Selection

Stand out from the crowd with a door as unique as you.

As our timber garage doors are custom designed and manufactured, you can rest assured we will create a product to meet your dimensions and requirements. No matter what shape or size your garage is, a timber door can be made to suit it - and it will look fantastic.

And because this range is custom-built using natural products, you can look forward to having a truly one-of-a-kind garage door that has its own unique look and character.

The most popular timber used in this range is Western Red Cedar, a lightweight yet solid timber that looks equally beautiful on a renovated or new home being built.

#### **Profile Options**







#### **Colour Options**











Dark Oak

Shiplap

Light Oak











highest standard and tested against the wind loading requirements of AS/NZS 4505:2012.







The Strut-Lock door is post free, incorporating the use of heavy duty struts, robust commercial hinges, top brackets in combination with a unique stile reinforcement to provide maximum resistance to forces exerted by cyclonic and high winds up to 5.5m (also available for C2 & up to N4).

The Wind Brace design feature with removable steel wind brace post(s) is installed to the sectional garage door once a cyclone warning is received. It takes about 2-5 minutes to install, and no tools are required. This feature can significantly enhance wind resistance up to C4 wind rating while still ensuring a smooth door operation (also available up to 6m for C2, C3, C4 & up to N6).

The wind rated roller doors are designed to provide additional wind resistance in extreme weather conditions. The new Wind Rated roller doors have been designed to reduce noise and increase service life. Optimised to suit your requirements, the Wind Rated roller doors are suitable for homes, sheds, commercial and industrial warehouses in cyclonic and non-cyclonic areas (C2/N4 up to 5.5m).














Steel-Line offer a range of commercial and industrial closures in partnership with Arco Architectural Systems and Max Door Solutions that combine strength and reliability. We offer high quality products, exceptional customer service and real value for money within the commercial and industrial space.

Our products are typically customised to suit project specific criteria. In particular, roller shutters and roller grilles are usually individually designed to suit architectural, ventilation and aesthetic requirements.

Steel-line and Arco Architectural Systems assist in all stages of the construction process - from design specifications through to estimating, project management, supervision of the installation and efficient after sales service.









#### **Commercial Doors**

- Mikado Multi Folding Door
- Arcade 2 Aluminium Roller Shutter
- Arcade 3 Aluminium Roller Shutter
- Stadium Aluminium Roller Grille
- Slimline Aluminium Shutter
- Clear Roller Shutter
- Arco Fold / Arco Stack

#### **Industrial Doors**

- Q100/Q75 Steel Roller Shutter
- A1500 Counterweight Balanced Door
- A3000 Foldaway Counterweight Balanced Door
- A2000 Hingeway Counterweight Balanced Door
- A4000 Counterweight Balanced Door
- A5000 Vertical Lift Counterweight Balanced Door
- Sliding Gate / Swing Gate
- Fire Shutter
- Esavian Aircraft Hanger Doors
- Insulated Shutter
- Jewers Swift Bi-fold Door

- RAPIDMAX®
- RAPIDMAX® Plus
- RAPIDMAX® SS
- RAPIDMAX® iso-Chill
- RAPIDMAX iso-Freeze
- SHUTTERMAX® 95RSHUTTERMAX® Plus
- SHUTTERMAX® 100D
- PANELMAX® 40
- PANELMAX® 80



## DESIGN YOUR DOOR

SHOPPING GUIDE



Select a door



Create your design





Select a colour





Select your opener and home enhancer's

Select a Service Care Plan

## STEP ONE: SELECT A DOOR

Using the icon guide at the bottom of each page, select your door type.



#### **SECTIONAL GARAGE DOORS**



Make a bold impression with the attractive range of Steel-Line sectional garage doors. Enhance the exterior of your home with a garage door that will complement any style of architecture with a range of door styles and colours to suit the unique characteristics of your home.



#### **ROLLER DOORS**



Easy to use and long lasting, our roller doors can be made to suit almost any size opening. Combine this with a range of Colorbond® colours and smooth operation, they become true design features of your home.



#### **ALUMINIUM FRAME DOORS**



Steel-Line's innovative Custom Collection range of garage doors offers over a hundred different garage doors for you to choose from. You simply look at the façade of your home and decide what style would best suit from our wide range of options.



#### **TILT GARAGE DOORS**



Is there a particular style or feature that you have not seen in the huge range of Steel-Line garage doors? You may have a specific design feature, profile, colour, style or material in mind, or some physical requirements which a standard garage door cannot satisfy.

A tilt or custom timber door could be your answer



Depending on the door type, now select a profile and/or series.

#### SECTIONAL GARAGE DOORS




#### SELECT A PROFILE AND FINISH TYPE



- TF: Textured finish. SF: Smooth finish (Savannah). # Windows can only be fitted to Ranch or Heritage designs in standard Colorbond® colours.
- \* Smooth finish (Savannah) is available in the Smooth and Powdercoat range at premium pricing.

#### ADD WINDOWS



#### **ROLLER DOORS**



#### | SELECT A SERIES

"A" series residential door (Range from 750mm to 3430mm in width)

"A" Series Door Heights	
Up to and including 1200mm	
Up to and including 2100mm	
Up to and including 2200mm	
Up to and including 2400mm	
Up to and including 2600mm	
Up to and including 2700mm	
Up to and including 3000mm	

"AA" series residential door \* (Range from 3435mm to 5500mm in width)

#### "AA" Series Door Heights Up to and including 2200mm Up to and including 2400mm Up to and including 2600mm Up to and including 2700mm Up to and including 3000mm

"B" series light industrial door \* (Range from 2855mm to 5500mm in width)

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm

<sup>\*</sup> Now supplied with Aluminium guides as standard

#### ALUMINIUM FRAME DOORS


#### | SELECT A PROFILE

#### **Aluminium Framed Insert Series**











5 EQUAL FIFTHS


#### **Aluminium Face Fixed Series**

QUARTER - HALF - QUARTER










5 EQUAL FIFTHS

#### Louvre Door



QUARTER - HALF - QUARTER

#### **Natural Timber Door Profile**



NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. The maximum width of the "1 section" door is 2400mm, if the inserts are aluminium composite panels, acrylic, Western Red Cedar or aluminium treadplate. The maximum width of the "2 sections" aluminium composite door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.

#### **TILT GARAGE DOORS**



#### Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:

- Plywood and Moulding
- Western Red Cedar
- Aluminium Composite Cladding
- Copper Sheeting
- K-Panel
- Colorbond®
- and much more

## STEP THREE: SELECT A COLOUR

Select the colour to suit your look based on your door type.

#### SECTIONAL GARAGE DOORS



















Western Red































Bush

\* Available while stocks last

#### Colerbond Classic



#### **ROLLER DOORS**



#### Colorbond Colours



#### UniCote LUX









#### ALUMINIUM FRAME DOORS

#### Frame Colours

(AN-402)




#### **Aluminium Framed Insert Options**

(AN-445)

#### ----- Polycarbonate Multiwall



(AN-422)



Perf Mesh Amplimesh

**Shopping Guide** 

#### **Aluminium Face Fixed Options**











**Natural Timber Door** 















Natural/No Stain

#### Colorbond Secondary Colours



















\* Sandbank, Cove, Bushland, Terrain, Wilderness and Mangrove are available in Sectional Door and Roller Door.

#### **TILT GARAGE DOORS**




Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:

- Plywood and Moulding
- Western Red Cedar
- Aluminium Composite Cladding
- Colorbond<sup>®</sup> and much more

K-Panel

Copper Sheeting






At Steel-Line, we're not just makers and inventors of garage doors, we believe we are makers to the core.

We constantly strive to make things that don't just last a life-time but

improve life. We are makers for life. 54 | STEEL-LINE | 55

<sup>\*</sup> Bushland, Wilderness, Mangrove, Headland, and Loft are available as Powdercoated for Sectional door only.









## SELECT AN OPENER AND HOME ENHANCER

### simply safer

For new products and the most up to date information, please check

#### **OPENERS**

#### | SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS









- Max garage door size: 12m<sup>2</sup>
- Max door weight: 110Kg
- Max peak pulling force: 800N
- 2 x four channel key ring transmitters, 1 x wireless wall transmitter
- Inbuilt service reminder
- 5 year motor warranty (2 year electronics)

#### Max garage door size: 18.5m<sup>2</sup>



- Max door weight: 240Kg
- Max peak pulling force: 1200N 2 x four channel key ring
- transmitters, 1 x wireless wall transmitter
- Inbuilt service reminder
- 5 year motor warranty (2 year electronics)

#### Marantec Comfort 270 Sectional Door Opener



- Max garage door size: 16.5m²
- Max door weight: 165Kg
- Max peak pulling force: 750N
- 1 x wireless wall transmitter, 2 x three channel key ring transmitters
- 7 year motor warranty (7 year electronics)

#### **Marantec Comfort 280 Sectional Door Opener**



- Max garage door size: 18.5m²
- Max door weight: 200Kg
- 1 x wireless wall transmitter, 2 x three channel key ring transmitters
- Max peak pulling force: 1000N
  - 7 year motor warranty (7 year electronics)

### I Merlin Sectional / ALUMINIUM FRAME / TILT GARAGE DOORS

#### **Commander Elite**



- Max garage door size:
- Max door weight: 150Kg Max peak pulling force:
- 2 x premium remotes, x two button wireless w transmitter
- MYQ compatible
- 7 year warranty

- Commander Extreme #
  - Max garage door size: 20m2 Max door weight: 150/286Kg 3
  - Max peak pulling force
  - 2 x premium remotes, 1 x two button wireless wall transmitter
  - MYQ compatible
  - 7 year warranty Note: \*When IR beams are



Commander Ultimate #

- Max garage door size: 16.5m<sup>2</sup>
- Max door weight: 280Kg
- Max peak pulling force: 600N 2 x premium remotes, MYQ remote LED light, safety IR beams, smart control panel, automatic door lock, cable extension motor, integrated
- MYQ compatible
- 7 year warranty

Note: # Not suitable for Tilt Doors.



#### | ROLLER DOORS | 1

RD800 Roller Door Opener Builders Choice

Marantec SR1000 Roller Door Opener

| Merlin ROLLER DOOR



Max garage door size: 18m²

• Max peak pulling force: 800N

wall transmitter,

1 x weight bar

5 year motor warranty

• Max garage door size: 22m²

transmitter,

1 x weight bar

5 year motor warranty

Max garage door size: 15m<sup>2</sup>

Max peak pulling force: 500N

• Weather resistant (IP34 rated

housing)

3 year warranty

2 x premium remote controls, 1 x

wireless wall transmitter, 1 x weight

Max door weight: 100Kg

(2 year electronics)

Max peak pulling force: 1000N

1 x powerhead, 2 x two channel key

ring transmitters, 1 x wireless wall

(2 year electronics)

1 x powerhead, 2 x three channel

key ring transmitters, 1 x wireless

### simply safer

Max garage door size: 25m² (18m²

• 1 x powerhead, 2 x three channel

key ring transmitters, 1 x wireless

• Max garage door size: 25m<sup>2</sup>; 18m<sup>2</sup>

• 1 x powerhead, 2 x two channel key

ring transmitters, 1 x wireless wall

for wind locked doors

transmitter. 1 x weight bar

• 2 year motor warranty

(2 year electronics)

Max peak pulling force: 1300N

Max peak pulling force: 1200N

for wind rated doors)

wall transmitter.

1 x weight bar

 2 year motor warranty (2 year electronics)

RD1200 Roller Door Opener Builders Choice

Marantec SR1300 Roller Door Opener

#### **HOME ENHANCERS**



oor Upgrade Pack includes Brush Seals, Powdercoated tracks and brackets and stainless steel cables.



The Coastal Upgrade Packs for both Sectional Doors and Roller Doors are recommended for all doors that are located within 5 kilometres from the sea to offer enhanced protection against the elements.

## powermesh<sub>®</sub>

## simply safer



Control your garage door anytime, anywhere with the Powermesh home automation system. For more information see page 8-9.

For the latest news and updates see steel-line.com.au.



Powermesh products work with the Zimi home ecosystem. Make your life easier and get connected today. www.zimi.life

#### **Battery Backup**



A battery backup provides an energy supply in the event of a power cut.

Available for SD800, SD1200, RD800 and RD1200 motors, as well as the Marantec Comfort 380.

Used in case of malfunction or power failure, especially

useful if there is no other

access to the garage.

#### **Coastal Upgrade Pack**



le Pack includes Brush Seals, AA Aluminium tracks with the no lock option.

#### **Photo Electric Beams**



The Photo Electric Beam is designed to detect an obstruction while the door is closing and to send a signal to the opener to reverse or stop the door movement. It helps to protect your family from injury and your car from the damage caused by contact.

#### Wireless Keypad



The wireless keypad can be unique user codes. It is a walk. This means you can peace of mind.

programmed with multiple, perfect for the family, trades people, or even just going for leave your keys at home with

#### **Additional Handsets**



Key ring remote transmitters are small and convenient with the ability to operate up to four doors or gates from the one unit. A must have for every set of keys in the house.

#### Wireless Wall Mounted Remote

**Emergency Key Release** 



Can be installed near an internal access door to your garage giving you greater convenience to open and close your garage door.

#### SilentDrive Elite

WeatherDrive



- Max garage door size: 18m²
- Max door weight: 120Kg
- Max peak pulling force: 550N
- 2 x premium remotes, 1 x two button wireless wall transmitter, 1 x weight bar
- 7 year warranty

SilentDrive Essential



- Max garage door size: 16.5m<sup>2</sup>
- Max door weight: 100Kg
- Max peak pulling force: 500N
- 2 x premium remotes, 1 x two button wireless wall transmitter, 1 x weight
- 5 year warranty

#### Grifco LR Drive



- Max garage door size: 28m² / wind locked 22m<sup>2</sup>
- Max door weight: 270Kg
- Max peak pulling force: 1300N
- 1 x battery backup unit, 2 x E960G 4 channel keyring transmitters, 1 x E138G wireless wall transmitter
- 2 year, 10000 cycle warranty

#### **Brush Seal**



A tough and durable brush seal can help better protect your garage from the elements and satisfies the "Construction of buildings in bushfire-prone areas" standard AS3959:2018 for protecting against fire embers entering the garage.

#### **Garage Door Insulation**



Steel-Line garage door insulation minimises the effects of the harsh Australian climate, by reducing heat loss and heat gain transferring through the door panel. Only available with Colorbond Sectional/ Smooth and Powdercoat doors.

Cut energy costs



### Features

raise to position.



Set and forget. No regular charging or battery changing requirement



High quality, slim, attractive aesthetic enhances its sophisticated design



disengaging the deadbolt and allowing the door to

Effortless installation and integration with the Steel-Line SD motor range, with Marantec option available



Simple disengagement in the event of power failure



Engineered with the latest electronic technology

NOTE: Compatible with double or single sectional garage doors.



#### simply safer

#### Service Care Plan

With a Steel-Line Garage Door Service Plan you can enjoy peace of mind for less with our 3 and 5 year service plans at a much lower cost.

Reassurance will only cost one upfront payment and will ensure your door is always under warranty. Steel-Line Garage Doors has qualified Garage and Roller Door Service Technicians on-hand to service or repair your garage door.

With one upfront payment, you save money and can rest assured your door remains in tip top condition and fullfils your warranty condition to service your door annually.



#### **Steel-Line Door Service Plan Key Benefits:**

- Available Australia wide
- Significant savings with one up front payment
- Guarantee your garage door is serviced by Steel-Line qualified technicians
- Assurance your garage door is working in peak condition with regular check ups

## 3 and 5 year service plans available.

Ask your local branch about how to sign up for a plan today.

Terms and Conditions:
- Service care plan is only available on doors 11 months old or less.
- Parts are not included.
- Only applicable to the doors fitted and is not transferable.





## Buy Now. Pay Later.

zip.co/apply

Zip is an easy and flexible payment method which gives you the freedom to buy now and pay later. There are two reusable account types, Zip Pay and Zip Money. Repayments are flexible to suit your lifestyle - weekly, fortnightly or monthly, and you can pay as much as you like as long as you meet your minimum monthly repayments (advised at the time of sign up).



**Zip Account** 

Apply for reusable Zip account with a limit that suits your needs.



**Payment Flexibility** 

Everyone's different. That's why Zip lets you tailor your payments to suit your lifestyle.

%

**Interest Free** 

Up to 12 months interest free.

#### **How it works**



**Apply for Zip** 



Get Zip approval



Order your Steel-Line products







If you're ready to draw the line at average and reach for better call us today.

1300 427 243

To locate Steel-Line branches across Australia visit **steel-line.com.au** 

QBBC: 1129059 | CBS: 223285

V8 (0523) Copyright © Steel-Line Garage Door Australia.

#### QLD

CAIRNS TOWNSVILLE SUNSHINE COAST BRISBANE GOLD COAST

#### **NSW**

COFFS HARBOUR NEWCASTLE SYDNEY WOLLONGONG

#### VIC

CAMPBELLFIELD DANDENONG GEELONG

#### **TAS**

**HOBART** 

#### SA

**ADELAIDE** 

#### WA

PERTH

#### NT

DARWIN