



## N2 and N3 Rated Sectional Doors

**If you're ready to draw the line at average and reach for better call us today.**

To locate Steel-Line branches across Australia call: **1300 427 243** or visit [steel-line.com.au](http://steel-line.com.au)

### Engineered for the toughest Australian conditions

Our N2 and N3 Rated Sectional Doors, designed for strength and safety, are certified for both residential and light commercial use. Available in Classic and Savannah profiles and backed by a national support network, these doors are purpose built for high wind regions with reinforced hardware and stile configurations for maximum stability.

They incorporate additional struts to improve the strength of the door, additional jamb brackets on the N2 Door and stronger jamb brackets on the N3 Door to support the load on the tracks, an engineered internal track to support the roller for additional stability and new roller clips so the roller stem will not dislodge from the hinge.

### Stringently tested to meet wind load requirements

Steel-Line N2 & N3 Rated Garage Doors have been engineered to the highest standard and tested at the James Cook University Cyclone Testing Station against the wind loading requirements of AS/NZS 4505-2012.



# 3 easy steps to create your Sectional Garage Door




## 1 Door Profiles and Finishes




Ranch (textured finish)



Heritage (textured finish)



Flatline (smooth or textured finish)



Slimline (smooth or textured finish)



Glacier (smooth or textured finish)

### NOTE:

- Smooth finish Flatline, Slimline and Glacier are only available in the Savannah range at premium pricing.
- For “smooth finish” garage doors, shadowing in the panel surface will be more evident. Shadowing is the rippling that occurs as a result of roll forming / pressing flat sheet steel.




Textured Finish | Slimline




Smooth Finish | Glacier







## Architectural Series



## Timbers of the World Series



More than 70 Dulux colours also available for sectional doors only. Please inquire about availability.




## NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Steel-Line reserves the right to vary or delete colours without notice.
- Premium colours are not available in smooth finish.
- UniCote® LUX range is only available in the Flatline, Slimline and Glacier Sectional Door profiles.

## Wind Rating and Coverage

Superior strength and rigidity are qualities of the unique design of the Steel-Line N2 & N3 Rated Sectional Door, suitable for high wind locations.



REGION	RATING
A & B	N Rating (non-cyclonic) N1-N6
C & D	C Rating (cyclonic) C1-C4

DOOR MODEL	MAX SIZE (H x W)	WIND PRESSURE RATING
N2	3415mm x 5100mm	1.02 kPa
N3	3415mm x 5100mm	1.49 kPa

Form 15's for N and C Rated Doors

Region B2 in WA is classed as Cyclonic

Section 40's for NT only

## 3 Openers and Home Enhancers

Fit your N2 and N3 Rated Sectional Door with a specially designed automatic opener and home enhancers for safe and hassle free entry and exit from your garage. To ensure you choose your correct opener and home enhancers, please contact your sales representative or local branch.

Proudly distributed by: